









Project Catalyst Final Report

Using a Smart Phone to Record Irrigations

Grower Information		
Grower Name:	Frank Mugica	
Entity Name:		
Trial Farm	9305A	
No/Name:		
Mill Area:	Kalamia	
Total Farm Area	119	
ha:		
No. Years Farming:	Since 2013 in Kalamia, previously farmed in Clare and Dalbeg	
Trial Subdistrict:	Kalamia Mill	
Area under Cane	119	
ha:		

Trial Status Completed











Background Information

Aim: to assist Burdekin growers in recording their irrigation data

Background: (Rationale for why this might work)

At the moment, there are very few Burdekin growers who record their irrigations and know how much water they're using on farm (ML/ha). As a result, there's no hard data concerning what is an appropriate volume of water to apply to sugarcane over the season.

One of the reasons grower's (especially in the Delta) do not keep irrigation records is that their pumps are not metered. This makes calculating irrigation volumes difficult unless the grower knows their pump flow rates or conducts a bucket and stopwatch to calculate the cup flow rate.

A number of growers have expressed interest in keeping irrigation records if it can be conducted with technology or with a smart phone app.

There is also potential for the end of row sensors being trialled with other growers may be able to be used to record irrigations – the sensor is able to time stamp and GPS stamp the location of each change od state (wet/dry) creating an online record of hours irrigated. If growers are aware of their pump flow rate and set areas, they will be able to calculate and record the volume of water applied.

Potential Water Quality Benefit:

By creating irrigation records, growers will be able to see how much water their applying to their paddocks over the season. This will give them the ability to decide whether or not to increase/decrease the volume of water being applied. They will also be able to identify blocks that they may be applying too much water to and be able to change their practices to reduce the volume of water being wasted or lost to runoff/deeo drainage.

Expected Outcome of Trial:

Growers will be able to install sensors at the top of their blocks or use an record keeping app to record their water use. This will inform their future water use, hopefully helping them reduce their wastage.

Service provider contact: Billie White (0409 477 359, billiew@farmacist.com.au)

Where did this idea come from:











<u>Plan -</u> <u>Project</u> <u>Activities</u>	Date : (mth/year to be undertaken)	Activities :(breakdown of each activity for each stage)
Stage 1	Jan -Dec 2018	 Develop a smart phone app to assist growers in creating irrigation records.
Stage 2	Dec 2018- Jun 2019	 Install the app on the grower's phone and support the grower in using the app Receive feedback from the grower
Stage 3		-
Stage 4		
Stage 5		
Stage 6		











Project Trial site details

Trial Crop:	Sugarcane
Variety: Rat/Plt:	Various
Trial Block No/Name:	Various
Trial Block Size Ha:	Various
Trial Block Position (GPS):	Various
Soil Type:	Various











Block History, Trial Design:

Treatments:

Using the irrigation record app to record irrigations












Results:

The sensors were shown to be too unreliable to accurately record irrigations for growers. This is primarily due to the locality of the farm and the reach of the base stations.

Over the last 12 months, Farmacist has been developing a smart phone app that will allow growers to record their irrigations quickly and easily. The app records data such as start/stop dates and times and volume of water applied (ML and ML/ha). To calculate volume, the app uses either their meter readings (if they have meters) or their pump/cup flow rates. When using the pump/cup flow rates, the app acts as a bucket and stopwatch – it uses the flowrates (input by the agronomist/grower) and the set area to calculate the volume applied. All of this data is also spatially allocated to each set and each block.

The grower has been a test grower during this process and has taken to the app very quickly.



When setting up the pumps for the app, the grower had had all of his pumps measured previously so he was able to input the flowrates into the pump details section. These pumps were allocated to blocks – often, several pumps were allocated to each block, depending on the farm infrastructure.

The grower was using the app when it was first set up; however, the Burdekin received relatively consistent rainfall since January so the grower has not had to irrigate since then. This has made it difficult to get into a habit of recording irrigations, but the grower is going to try get back into it when he restarts his cycle.





















Conclusions and comments

Ideally, growers would be able to passively record their irrigations, due to the sheer number of irrigations that are applied throughout the season. This was what we were trialling by putting the sensors at the top of the block; however, these have been found to be too unreliable to accurately record the irrigation start and stop times.

If growers are to actively record irrigations, the process should be quick and easy – if they have to input too much information, they are unlikely to continue to record their irrigations, especially in peak irrigation times. This is where the Farmacist irrigation app has come into play – from reports from growers, once the app is set up (this takes the most time), actually using the app is a quick and easy process. As the grower only needs to press start and stop to create his irrigation record, he has been using it regularly.

Advantages of this Practice Change:

By recording irrigations, growers are able to get a better understanding of their water use. This helps them identify where they may be applying too much water, or not enough relative to their soil's water holding capacity and the crop yield. By identifying areas where they may be applying too much water, the grower can take steps to reduce this water use or mitigate the issues – by applying appropriate volumes of water, the grower reduces their risk of losses. Water is the primary loss pathway for nutrient and pesticides to leave the paddock (run off or deep drainage).

Disadvantages of this Practice Change:

There are little to no disadvantages to recording irrigations; however, there are disadvantages to the different irrigation record methods.

With the sensors, the advantages to that system is the passive recording – this ensures that the records do not rely on grower's memories. However, this only works if the sensors are working everytime.

With the irrigation record app, the advantages are that it is quick and simple to use and the app does all the calculations for the grower. It also spatially allocates the data. The disadvantage is that it relies on the grower to remember to input the data at all times. This can be an issue when growers are in their peak irrigation period.

The grower in this case has struggled to get into the habit of recording his irrigations, but will make an effort in the future.

Will you be using this practice in the future:

The grower has implemented the app over the entire farm and has no plans to stop using the app at this stage.

% of farm you would be confident to use this practice : The app is used on 100% of the farm.